



10" Calm Water & River Standard Oil Containment Boom



What is a 10" Calm Water & River Standard Oil Containment Boom and who is for?

This Enviro-USA boom is ideal for oil spills in Calm Water & Light Current applications such as ponds, streams, ditches, canals, brooks, creeks, swamps, lagoons, lakes, wetlands and slow rivers. It has a top tension cable thereby providing greater tensile strength. The primary users are Oil spill response contractors.

Why use Oil Containment Booms?

Oil containment booms are used in water as a first response to an oil spill or by Spill Response Contractors to divert, control and maintain an oil spill. Once the spill has been contained the contractor will then proceed to recuperate and clean up the oil. It is most often used for oil spills in slow to medium current rivers, bays and of course can also be used on all of the above listed applications.

Where are 10" Standard Oil Containment Booms used?

Calm water applications, such as:

- Ponds
- Streams

3855 N. Highway 1, Cocoa, FL 32926
Tel: (321) 222-9551, Fax: (321) 206-4563

WWW.ENVIRO-USA.COM



- Ditches
- Canals
- Brooks
- Creeks
- Swamps
- Lagoons
- Lakes
- Wetlands

Slow river applications

Specifications

This Enviro-USA boom is compliant with OPA 90, **US Coast Guard – OSRO and ASTM F1523 Guidelines.**

- Oil Booms are available in 50 and 100 foot sections or any custom length up to 100’.
- Numerous sections can easily and quickly be connected together.
- Numerous fabrics are available for short or long term deployments.

4” Freeboard & 6” Draft, 22 oz. PVC fabric, ballast chain, ASTM connectors and available with or without a top tension cable. Most common boom used by RIVER responders in Central & Western United States. A top tension cable is required if the boom is going to encounter river currents, a lot of wind or a lot of water movement due to boat and recreational activity nearby. The cable will provide greater tensile strength which will allow the boom to better resist the forces applied.

This boom has a top tension cable thereby providing greater tensile strength and is most often used for oil spills in slow to medium current rivers, bays and of course can also be used on all of the above listed applications.

For a specific spec sheet, please call our office at 321-222-9551.

Free Quote

For a quick quote call our manufacturing plant: (321) 222-9551 or fax us your requirements to: (321) 206-4563.

3855 N. Highway 1, Cocoa, FL 32926
Tel: (321) 222-9551, Fax: (321) 206-4563



As a manufacturer having spent a lot of time in this industry and being very familiar with oil spills and government requirements for different applications, we strive to manufacture a quality product, appropriate for the calm water applications, while keeping cost down to a minimum. "Enviro-USA Guarantees its Quality and the Lowest Price in the USA".

A large, light green, stylized graphic of a drop or wave, positioned in the lower half of the page. It has a thick, curved shape with a white outline, resembling a large drop or a wave crest.

3855 N. Highway 1, Cocoa, FL 32926
Tel: (321) 222-9551, Fax: (321) 206-4563

WWW.ENVIRO-USA.COM