



## 12" Rough River Standard Oil Containment Boom



### **What is a 12" Rough River Standard Oil Containment Boom and who is for?**

This boom is ideal for oil spills in rough rivers, however it will also work for the following applications: protected ports, inlets, harbors, estuaries, marinas, bays, ponds, streams, ditches, canals, brooks, creeks, swamps, lagoons, lakes, wetlands and slow Rivers. The primary users are Oil spill response contractors.

### **Why use Oil Containment Booms?**

Oil containment booms are used in water as a first response to an oil spill or by Spill Response Contractors to divert, control and maintain an oil spill. Once the spill has been contained the contractor will then proceed to recuperate and clean up the oil. It is most often used for oil spills in slow to medium current rivers, bays and of course can also be used on all of the above listed applications.

### **Where are 12" Rough River Standard Oil Containment Boom used?**

#### **Rough water applications, such as:**

- Protected ports
- Inlets
- Harbors
- Estuaries

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563



- Marinas
- Bays
- Ponds
- Streams
- Ditches
- Canals
- Brooks
- Creeks
- Swamps
- Lagoons
- Lakes
- Wetlands

### **Slow river applications**

## **Specifications**

This Enviro-USA boom is compliant with OPA 90, [US Coast Guard – OSRO and ASTM F1523 Guidelines](#).

- Oil Booms are available in 50 and 100 foot sections or any custom length up to 100'.
- Numerous sections can easily and quickly be connected together.
- Numerous fabrics are available for short or long term deployments.

**6" freeboard & 6" draft**, 22 oz. PVC fabric, ballast chain, ASTM connectors and a top tension cable. Commonly used by oil spill responders in Central & Western United States for diverting oil spills in strong river currents. Also works great in windy conditions and choppy water as it has a bigger freeboard than the 10" oil boom.

For a specific spec sheet, please call our office at 321-222-9551.

## **Free Quote**

For a quick quote call our manufacturing plant: (321) 222-9551 or fax us your requirements to: (321) 206-4563.

As a manufacturer having spent a lot of time in this industry and being very familiar with oil spills and government requirements for different applications, we strive to manufacture a quality product,

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563



appropriate for the calm water applications, while keeping cost down to a minimum. “Enviro-USA Guarantees its Quality and the Lowest Price in the USA”.

A large, light green, stylized graphic of a drop or wave, composed of several overlapping curved bands, dominates the lower half of the page.

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)