



## Type 2 Medium Duty Silt Curtain



### What is a Type 2 Medium Duty Turbidity Curtain and who is it for?

DOT Type 2 floating turbidity barriers are ideal for **containing silt and turbidity in moving water applications**. These silt curtains are used to control and contain silt / sediment within an immediate work area thereby preventing anything from floating down stream and affecting marine life. Floating Turbidity Curtains **protect our waters and environment** whenever construction occurs in a marine environment.

Floating Turbidity Barriers are normally **used by contractors working in, around or nearby a body of water**.

### Why use an DOT Type 2 Medium Duty Turbidity Curtain vs. another type of barrier:

The Type 2 model is recommended when compliance with United States DOT floating turbidity curtain requirements is a factor and the marine construction project happens in moving water application.

### Where are DOT Type 2 Medium Duty Turbidity Curtains used?

- Rivers
- Inland waterways
- Harbors

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



- Protected Ports
- Lakes with wind and or current

## Specifications

Enviro-USA's Floating Turbidity Curtains are available as Permeable or Non-Permeable skirt, in **50 & 100 ft sections** or **any custom length up to 100'**. The depth is available as required by project requirements and can be **as deep as 50 ft**. Numerous sections can easily & quickly be connected together.

A **permeable skirt** is important if there is the need to allow water to flow through while containing silt or turbidity. Enviro-USA's Floating Turbidity Barriers are manufactured in accordance and in compliance with most United States DOT requirements.

**NOTE: Float size is determined by skirt depth and or your job requirements**

Enviro-USA's Floating Silt & Turbidity Curtains are manufactured in Florida and comply with most calm water project requirements.

For a spec sheet please call our office at (321) 222-9551 or [request the specs via e-mail](#).

[Florida DOT Turbidity Barriers drawing](#) (Source: Florida Department of Transportation).

## Free Quote

For a quick quote call our manufacturing plant: (321) 222-9551 or fax us your requirements to: (321) 206-4563.

As a manufacturer having spent a lot of time in this industry and being very familiar with oil spills and government requirements for different applications, we strive to manufacture a quality product, appropriate for the moving water applications, while keeping cost down to a minimum. "Enviro-USA Guarantees its Quality and the Lowest Price in the USA".

**Guaranteed lowest pricing, large inventory, excellent service**

These are just a few of the reasons to use Enviro USA as your dedicated supplier for Economy & DOT Type 1 barriers. Contact us now to speak with one of our friendly and experienced staff.

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



321-222-9551 M-F 8am-5pm  
321-331-6430 24 Hour emergency line

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)