



## 12" Rough River Fast Deployment Oil Containment Boom



### **What is a 12" Rough River Fast Deployment Oil Containment Boom and who is it for?**

This Enviro-USA boom is ideal for fast response in rivers with moderate current, ponds, lakes, canals and waterways.

### **Why use Fast Deployment Oil Containment Booms versus Standard Booms?**

Oil containment booms are used in calm water as a first response to an oil spill or by Spill Response Contractors to divert, control and maintain an oil spill. Once the spill has been contained the contractor will then proceed to recover and clean up the oil. The main advantage of using a Fast Deployment boom is the reduced time it takes to deploy thanks to the use of a reel system.

### **Where are 12" Rough River Fast Deployment Oil Containment Booms used?**

**Rough water applications, such as:**

- Protected ports
- Inlets
- Harbors
- Estuaries

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



- Marinas
- Bays
- Ponds
- Streams
- Ditches
- Canals
- Brooks
- Creeks
- Swamps
- Lagoons
- Lakes
- Wetlands

### Slow river applications

## Specifications

This Enviro-USA boom is compliant with OPA 90, [US Coast Guard – OSRO and ASTM F1523 Guidelines](#).

- Oil Booms are available in 50 and 100 foot sections or any custom length up to 100'.
- Numerous sections can easily and quickly be connected together.
- Numerous fabrics are available for short or long term deployments.

**6” freeboard & 6” draft**, 22 oz. PVC fabric, ballast chain, ASTM connectors and a top tension cable.

This boom was designed for FAST DEPLOYMENT and **1,000 ft can be deployed in about 8-10 minutes**. FAST DEPLOYMENT boom is stored and deployed from a Manual or Hydraulic Reel. A compact manual reel can store around 300’ of this boom. This reel can be maneuvered around and all 300’ deployed by one person. This boom will also work in protected ports, inlets, harbors, estuaries, marinas, bays, streams, ditches, brooks, creeks, swamps, lagoons and wetlands.

For a specific spec sheet, please call our office at 321-222-9551 or [send us an e-mail](#).

## Free Quote

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



For a quick quote call our manufacturing plant: (321) 222-9551 or fax us your requirements to: (321) 206-4563.

As a manufacturer having spent a lot of time in this industry and being very familiar with oil spills and government requirements for different applications, we strive to manufacture a quality product, appropriate for rough river applications, while keeping cost down to a minimum. "Enviro-USA Guarantees its Quality and the Lowest Price in the USA".

A large, light green, stylized graphic of a drop or splash, positioned in the lower half of the page. It has a thick, curved shape with a white outline, resembling a large drop or a splash of liquid.

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)