



## 32" Inflatable Oil Containment Boom for UNPROTECTED PORTS



**What is a 32" Inflatable Oil Containment Boom for UNPROTECTED PORTS and who is it for?**

This Enviro-USA boom is highly recommended by Port Authorities as the appropriate size for Unprotected Ports, shorelines, Offshore and Open Sea applications.

**Why use an Inflatable Oil Containment Boom versus a standard model?**

Enviro-USA's inflatable Oil Containment Barriers are perfect if you are limited by storage, must have a quick deployment due to environmental sensitive areas nearby and/or have a tight budget.

**Where are 32" Inflatable Oil Containment Booms for used?**

Enviro-USA's 32" inflatable oil boom is used mostly for protected ports but also for these applications:

- Protected Marinas
- Harbors
- Gulfs
- Beaches

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



## Specifications

This Enviro-USA boom is compliant with OPA 90, [US Coast Guard – OSRO and ASTM F1523 Guidelines](#).

Enviro-USA's inflatable booms offer:

- High buoyancy to weight ratio which provides excellent wave adapting capability and heave response.
- Individual air chambers which provides dependability, integrity and peace of mind.
- Large diameter air chambers which provide plenty of water plane surface allowing the boom to maintain a maximum freeboard at all times.

Options:

- Oil Booms are available in 50 and 100 foot sections or any custom length up to 100'.
- Numerous sections can easily and quickly be connected together.
- Numerous fabrics are available for short or long term deployments.

**11" Freeboard & 18" Draft**, Heavy Duty 41 oz. orange fabric, 3" fin above air chambers, ballast chain, and ASTM connectors.

The freeboard & draft are perfect in size for this type of application. The 11" air chambers and 3" fin above the air chambers increase protection and prevent splash over due to windy conditions and/or choppy water. This boom is lightweight and it can easily be stored, deployed and retrieved from a hydraulic reel with minimal manpower. **1,000 ft (300m) can be deployed in approximately 13 minutes with only 3 persons.** It is the perfect inflatable boom for responding to oil spills in unprotected ports. Please note that this boom can also be used in protected Ports, Harbors, Gulfs and beaches.

For a specific spec sheet, please call our office at 321-222-9551 or [send us an e-mail](#).

## Free Quote

For a quick quote call our manufacturing plant: (321) 222-9551 or fax us your requirements to: (321) 206-4563.

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)



As a manufacturer having spent a lot of time in this industry and being very familiar with oil spills and government requirements for different applications, we strive to manufacture a quality product, appropriate for protected port applications, while keeping cost down to a minimum. “Enviro-USA Guarantees its Quality and the Lowest Price in the USA”.

A large, light green, stylized graphic of a drop or splash, composed of several overlapping curved shapes, dominates the lower half of the page.

3855 N. Highway 1, Cocoa, FL 32926  
Tel: (321) 222-9551, Fax: (321) 206-4563

[WWW.ENVIRO-USA.COM](http://WWW.ENVIRO-USA.COM)